




Wireless Music Creation System

Quick Guide



— Product Overview —



①	Charging Case
②	TWS Monitoring Earphones
③	Wireless Condenser Microphone
④	Bluetooth Remote Control
⑤	Smart Audio Mixer

■ Audio Input Connection

Audio Input to Phone or Computer


1. As shown in ❶, use the USB-C cable to connect the Smart Audio Mixer to a phone or computer for recording or livestreaming.
2. To play a backing track via Bluetooth (see ❷), prepare an additional phone or computer and connect it to the Smart Audio Mixer via Bluetooth. Select MELO P1 from the Bluetooth device list. Once connected, the backing track can be played through the mixer.
3. If livestreaming on a computer using software such as OBS, select MELO P1 as both the audio input source and the monitoring device in the software's audio settings. (Actual options may vary depending on the software.)



— How to Use

Connecting to Speakers or Wired Headphones (High-impedance headphones supported)


1. Use a 3.5 mm to 3.5 mm audio cable to connect the AUX OUT port on the Smart Audio Mixer to the AUX IN port of a speaker or wired headphones.
2. In the HollyAudio App, set "3.5 mm I/O" to "Output".



— How to Use

Connecting Instruments

To connect an instrument, use the included 6.5 mm to 3.5 mm adapter to connect the instrument to the Smart Audio Mixer. In the HollyAudio App, set "3.5 mm I/O" to "Input".



— How to Use —

Bluetooth Connection

Standard Connection

1. Open the Bluetooth settings on your phone.
2. Make sure Bluetooth is turned on.
3. Under "Other Devices", find "MELO P1" and tap to connect.

Quick Connection (Android only)


1. Make sure both Bluetooth and NFC are enabled on your phone.
2. Hold the back of the phone close to the NFC area on the Smart Audio Mixer to quickly establish the Bluetooth connection.



— How to Use —

Note

As the devices are connected wirelessly, to ensure a stable connection, please keep the front of the Smart Audio Mixer (with the Hollyland logo) facing you during use.



■ Replacing the Microphone Head

- 1 Rotate the metal tube clockwise and set it aside.




- 2 Rotate the short silver metal tube clockwise and set it aside.



- 3 Remove the microphone head and set it aside.




- 4 Attach the new microphone head.



- 5 Rotate the short silver metal tube counterclockwise to tighten.



- 6 Rotate the metal tube counterclockwise to tighten.



How to Use

■ Wearing the Earphones

- ① Select the included ear tips and ear wings that provide the most comfortable and secure fit, and attach them to the earphones.



- ② To ensure a stable fit, after placing the earphones in your ears, make sure the ear wing is properly seated inside the ear.



■ Replacing the Remote Control Battery

- ① Turn the battery cover clockwise to open the battery compartment.
- ② Turn the battery cover counterclockwise to close the battery compartment.



①



②



Product Introduction

Wireless Microphone



① Power / Pairing Button	 x1 : Turn Noise Cancellation On / Off
	 x2 : Mute
	 6S : Manual Pairing, blue LED flashes rapidly (when powered off)
	 Long Press : Power On / Off
② USB-C Charging / Data Port	Used to charge the microphone or connect it to devices such as a phone, tablet, or computer for standalone use.
③ Indicator Light	 : Noise Cancellation On
	 : Noise Cancellation Off
	 : Mute On
	Flashing : Not connected Solid : Connected successfully
④ Charging Contacts	/

— Product Introduction —

Smart Audio Mixer



① Indicator Light	1 Microphone 1	Solid: Connected successfully Flashing: Not connected
	2 Microphone 2	
	Backing Track Phone	
	TWS Monitoring Earphones	
	Remote Control	
	Smart Audio Mixer	
② Power Button	6S : Manual Pairing, white LED flashes rapidly (when powered off)	
	Long Press : Power On / Off	

③ 3.5 mm Jack	Instrument Input - Balanced instrument input: When connecting a balanced instrument signal, use the included 6.5 mm to 3.5 mm adapter to connect the instrument to the 3.5 mm jack shown above. In the HollyAudio App, set "3.5 mm I/O" to "Input". - Unbalanced instrument input: When connecting an unbalanced instrument signal, use a DI box to convert the XLR output to a 3.5 mm connection, then connect it to the 3.5 mm jack shown above. In the HollyAudio App, set "3.5 mm I/O" to "Input".
④ Data & Charging Output Port	Audio Output The top and right-side ports on the Smart Audio Mixer can output digital audio simultaneously. Use a USB-C to USB-C data cable to connect the mixer to a phone or computer to send audio to our HollyAudio App. * Audio from the phone or computer can be routed through the mixer to both wireless monitoring earphones and wired monitoring headphones (top port only). Fast Charging Output When connected to an external power source, the Smart Audio Mixer can deliver fast charging to two phones simultaneously via these two ports.
⑤ NFC	For Bluetooth Quick Connection (Android only) Hold the back of the phone close to the NFC area shown in the illustration to quickly connect to the mixer. Once connected, you can play backing tracks.
⑥ Fast Charging Port	Used to connect an external power source.
⑦ Charging Contacts	/

Bluetooth Remote Control



① Monitoring Volume Adjustment	Adjusts the volume of the wireless monitoring earphones.
② Sound Effect Buttons	- After the mixer is connected to the App, you can assign sound effects to the first six buttons in the "Remote Control" section of the App. - The first four buttons can only be selected from the corresponding sound effect categories in the App settings. The two gray buttons can be customized with any sound effect. - Singing: Switches to the singing preset assigned to the button in the App settings. Only one preset can be assigned to this button at a time. - Chat: Switches to the chat preset assigned to the button. Only one preset can be assigned to this button at a time.
③ Control Button	- Mute: Mutes the microphone, or wakes up the remote control after a long period of inactivity. - Ducking: Automatically reduces the backing track music volume when vocals are detected. You can adjust the reduced music level in the HollyAudio App.

— Product Introduction

④ Power Switch	ON: Power on. Automatically connects to the mixer after startup. OFF: Power off.
⑤ Reverb Level Control	Adjusts the reverb intensity for both vocal and instrument tracks simultaneously.
⑥ Battery Compartment	/

■ TWS Monitoring Earphones



① Stabilizing Ear Wings	Fits securely inside the ear to ensure a stable and secure fit.
-------------------------	---

— Product Introduction —

■ Charging Case



— Product Introduction —

① Unlock Switch	/
② Earphone Mode / Charging Indicator	● : Fully charged
	● : Charging
	○ : Wireless Monitoring Mode (Flashes rapidly when Pairing)
	● : Standard Bluetooth Mode (Flashes rapidly when Pairing)
③ Earphone Mode / Pairing Button	Mode Switching By default, the earphones operate in Wireless Monitoring Mode. To switch to Bluetooth Mode, place both earphones into the charging case and press the button three times. In Bluetooth Mode, the earphones can connect to a phone for music playback and calls. Pairing With both earphones, the microphones, and the Smart Audio Mixer placed in the charging case, press this button six times to re-pair the earphones, microphones, and mixer.
④ Cable Storage Compartment	/
⑤ Microphone Charging Indicator	● : Fully charged
	● : Charging
	Off: Microphone not placed correctly
⑥ USB-C Charging Port	/
⑦ Battery Level Indicator	○ : A total of four LED indicators. All indicators on indicates a full charge.
	Solid: Indicates the current remaining battery level
	Flashing: Charging

— App Information —

HollyAudio

The HollyAudio App is available for download on Google Play Store and Apple App Store. You can also scan the QR code below to download the app.



The HollyAudio app is a perfect match for Hollyland wireless microphones. With the app, you'll have access to a range of smart features, such as parameter configurations and firmware updates, that work together seamlessly to enhance your microphone performance.



Requires iOS 12.0 or higher



Requires Android 8.0 or higher



App

— Support —

If you encounter any problems in using the product or need any help, please contact Hollyland Support Team via the following ways:



Hollyland User Group



HollylandTech



HollylandTech



HollylandTech



support@hollyland.com



www.hollyland.com

Statement:

All copyrights belong to Shenzhen Hollyland Technology Co., Ltd. Without the written approval of Shenzhen Hollyland Technology Co., Ltd., no organization or individual may copy or reproduce part or all of any written or illustrative content and disseminate it in any form.

Trademark Statement:

All the trademarks are owned by Shenzhen Hollyland Technology Co., Ltd.

Note: Due to product version upgrades or other reasons, this Quick Guide will be updated from time to time. Unless otherwise agreed, this document is provided as a guide for use only. All representations, information, and recommendations in this document do not constitute warranties of any kind, express, or implied.

HOLLYVIEW


Powered by Hollyland





무선 음향 제작 시스템

빠른 설명서



— 제품 개요 —



①	충전 케이스
②	TWS 모니터링 이어폰
③	무선 콘덴서 마이크
④	블루투스 리모컨
⑤	스마트 오디오 믹서

■ 오디오 입력 연결

휴대폰 또는 컴퓨터 오디오 입력


1. ❶에 표시된 단자를 통해, USB-C 케이블을 사용하여 스마트 오디오 믹서를 휴대폰 또는 컴퓨터에 연결하십시오. 연결한 후에 녹음 또는 라이브 스트리밍을 진행할 수 있습니다.
2. 블루투스를 사용하여 반주 트랙을 재생하기 위해서는 (❷번 항목 참조) 별도의 휴대폰 또는 컴퓨터를 준비하여 스마트 오디오 믹서에 블루투스를 사용하여 연결하십시오. 블루투스 장치 목록에서 MELO P1 모델을 선택하십시오. 해당 연결이 완료되면 믹서를 사용하여 반주 트랙을 재생할 수 있습니다.
3. OBS Studio 와 같은 소프트웨어를 사용하여 컴퓨터에서 라이브 스트리밍을 하는 경우 다음의 설정 방법대로 진행하십시오. 먼저 소프트웨어의 오디오 설정으로 이동하십시오. 그 후에 오디오 입력 소스와 모니터링 장치를 모두 MELO P1 모델로 선택하십시오. (실제 옵션 항목명은 사용하는 소프트웨어에 따라 차이가 있을 수 있습니다.)



— 사용 방법 —

스피커 또는 유선 헤드폰 연결 (고임피던스 헤드폰 호환)


1. 3.5 mm~3.5 mm 오디오 케이블을 사용하여 스마트 오디오 믹서의 AUX OUT 포트와 스피커 또는 유선 헤드폰의 AUX IN 포트를 연결하십시오 .
2. HollyAudio 앱에서 "3.5 mm I/O" 항목을 "Output" 으로 설정하십시오 .



— 사용 방법 —

악기 연결 방법

악기를 연결하기 위해서는 동봉된 6.5 mm~3.5 mm 어댑터를 사용하여 스마트 오디오 믹서에 연결하십시오. HollyAudio 앱에서 "3.5 mm I/O" 항목을 "Input" 으로 설정하십시오.



— 사용 방법 —

■ 블루투스 연결

표준 연결

1. 휴대폰에서 블루투스 설정 메뉴를 열어주십시오 .
2. 블루투스가 켜진 상태인지 확인하십시오 .
3. " 기타 장치 "에서 "MELO P1" 모델을 찾으십시오 . 그 후에 해당 모델을 선택하여 연결하십시오 .

빠른 연결 (Android 전용 기능)


1. 휴대폰에서 블루투스와 NFC 기능이 모두 켜진 상태인지 확인하십시오 .
2. 휴대폰 뒷면을 스마트 오디오 믹서의 NFC 기능 영역에 가까이 대주십시오 . 그 후에 블루투스 연결이 빠른 속도로 설정됩니다 .



— 사용 방법 —

■ 참고 사항

본 장치가 무선으로 연결되므로, 안정적인 연결하기 위해서는 사용 시 스마트 오디오 믹서의 전면 (Hollyland 로고가 있는 면) 이 사용자를 향한 상태를 유지하도록 놓아주십시오.



■ 마이크 헤드 교체 방법

- ❶ 금속 튜브를 시계 방향으로 돌려주십시오. 그 후에 이를 분리한 후 한쪽에 놓아주십시오.



- ❷ 짧은 은색 금속 튜브를 시계 방향으로 돌려주십시오. 이후 이를 분리한 후 한쪽에 놓아주십시오.



- ❸ 마이크 헤드를 분리하십시오. 이후 이를 한쪽에 놓아주십시오.




- ❹ 새로운 마이크 헤드를 결합하십시오.



- ❺ 짧은 은색 금속 튜브를 시계 반대 방향으로 돌려서 조여주십시오.



- ❻ 금속 튜브를 시계 반대 방향으로 돌려서 조여주십시오.



— 사용 방법 —

■ 이어폰 착용 방법

- ① 안정적이고 편안한 착용감을 위해서 동봉된 이어팁과 이어윙 중에서 귀에 가장 최적의 핏을 제공하는 크기를 찾아 이어폰에 장착하십시오.



- ② 이어폰을 귀에 꽂은 이후 귀에 안정적으로 고정시키기 위해서는 이어윙이 귀 안쪽 부분에 제대로 자리잡은 상태인지 확인하십시오.



■ 리모컨 배터리 교체 방법

- ① 배터리 덮개를 시계 방향으로 돌려서 배터리실을 열어 주십시오.
② 배터리 덮개를 시계 반대 방향으로 돌려서 배터리 실을 닫아 주십시오.



①



②



— 제품 소개 —

■ 무선 마이크



① 전원 / 페어링 버튼	× 1: 노이즈 캔슬링 켜기 / 끄기
	× 2: 음소거
	6S: 수동 페어링, 파란색 LED 가 빠른 속도로 깜박입니다 (전원 꺼진 상태에서)
	길게 누르기: 전원 켜기 / 끄기
② USB-C 충전 / 데이터 포트	마이크를 충전하거나 휴대폰, 태블릿, 컴퓨터 등의 장치에 연결하여 독립적으로 사용할 때 권장합니다.
③ 상태 표시등	● : 노이즈 캔슬링 켜기
	● : 노이즈 캔슬링 끄기
	● : 음소거 활성화
	깜빡임 : 연결 안 됨
④ 충전 단자	켜짐 : 성공적으로 연결됨
	/

— 제품 소개 —

■ 스마트 오디오 믹서



① 상태 표시등	1 마이크 1	켜짐 : 성공적으로 연결됨 깜빡임 : 연결 안 됨
	2 마이크 2	
	3 백킹 트랙 폰	
	4 TWS 모니터링 이어폰	
	5 리모컨	
	6 스마트 오디오 믹서	
② 전원 버튼	6S : 수동 페어링 , 흰색 LED 가 빠른 속도로 깜박입니다 (전원 꺼진 상태에서)	
	길게 누르기 : 전원 켜기 / 끄기	

③ 3.5 mm 잭	악기 입력 · 밸런스드 악기 입력 : 밸런스드 악기 신호 연결 시 동봉된 6.5 mm~3.5 mm 어댑터를 사용하여 상단 부분에 표기된 3.5 mm 잭에 연결하십시오 . HollyAudio 앱에서 "3.5 mm I/O" 항목을 "Input" 으로 설정하십시오 . · 언밸런스드 악기 입력 : 언밸런스드 악기 신호 연결 시 DI 박스를 사용하여 XLR 출력을 3.5mm 단자로 변환하십시오 . 이후에 상단 부분에 표기된 3.5mm 잭에 연결하십시오 . HollyAudio 앱에서 "3.5 mm I/O" 항목을 "Input" 으로 설정하십시오 .
④ 데이터 & 충전 출력 포트	오디오 출력 스마트 오디오 믹서의 상단 및 우측 포트에서 디지털 오디오를 동시에 출력을 지원합니다 . USB-C to USB-C 데이터 케이블을 사용하여 믹서를 휴대폰이나 컴퓨터에 연결하십시오 . 그 후에 HollyAudio 앱으로 오디오 신호를 보내십시오 . * 휴대폰이나 컴퓨터의 오디오 신호를 믹서를 사용하여 무선 모니터링 이어폰 및 유선 모니터링 헤드폰 (단 , 상단 포트에 연결할 경우에만 가능) 으로 동시에 출력하도록 이를 지원합니다 . 고속 충전 출력 외부 전원에 연결 시 스마트 오디오 믹서는 이 두 개의 포트를 사용하여 두 대의 휴대폰을 동시에 고속 충전하도록 이를 지원합니다 .
⑤ NFC 기능	블루투스 빠른 연결 (Android 전용 기능) 휴대폰 뒷면을 NFC 기능 영역 (그림 참조) 에 가까이 대주십시오 . 그 후에 빠른 속도로 믹서에 연결됩니다 . 해당 연결이 완료되면 백킹 트랙을 재생할 수 있습니다 .
⑥ 고속 충전 포트	외부 전원 연결 시 사용합니다 .
⑦ 충전 단자	/

— 제품 소개 —

■ 블루투스 리모컨



① 모니터링 볼륨 조절	무선 모니터링 이어폰 볼륨을 조절합니다.
② 사운드 효과 버튼	· 믹서를 앱에 연결한 후 앱의 “리모컨” 영역의 처음 6 개 버튼에 효과음을 지정할 수 있습니다. · 첫 4 개의 버튼은 앱 설정의 해당 음향 효과 카테고리에서만 선택할 수 있습니다. 회색 버튼 2 개는 원하는 효과음으로 자유롭게 지정할 수 있습니다. · 보컬 프리셋 : 앱 설정에서 해당 버튼에 지정된 보컬 프리셋으로 전환합니다. 해당 버튼에는 한 번에 1 개의 프리셋만 지정할 수 있습니다. · 채팅 프리셋 : 해당 버튼에 지정된 채팅 프리셋으로 전환합니다. 해당 버튼에는 한 번에 1 개의 프리셋만 지정할 수 있습니다.
③ 조작 버튼	· 음소거 : 마이크를 음소거하거나 또는 장시간 사용하지 않는 상태에서 절전 모드로 전환됐을 때 리모컨이 다시 활성화됩니다. · 덕킹 : 보컬 감지 시 백킹 트랙의 볼륨이 자동으로 낮아집니다. HollyAudio 앱에서 볼륨을 조절할 수 있습니다.

— 제품 소개 —

④ 전원 스위치	ON: 전원을 켜주십시오 . 전원을 켜면 믱서에 자동으로 연결됩니다 . OFF: 전원을 꺼주십시오 .
⑤ 리버브 레벨 조절	보컬 트랙 및 악기 트랙의 리버브 강도를 동시에 조절하십시오 .
⑥ 배터리함	/

■ TWS 모니터링 이어폰



① 고정 서포터	귀 내부에 안정적으로 밀착되어 편안한 착용감을 제공해 드립니다 .
----------	--------------------------------------

— 제품 소개 —

■ 충전 케이스



— 제품 소개 —

①잠금 해제 스위치	/
②이어폰 모드 / 충전 표시등	● : 완전 충전
	● : 충전
	○ : 무선 모니터링 모드 (페어링 시 빠른 속도로 깜빡임) ● : 표준 블루투스 모드 (페어링 시 빠른 속도로 깜빡임)
③이어폰 모드 / 페어링 버튼	모드 전환 이어폰은 기본적으로 무선 모니터링 모드로 구동됩니다 . 블루투스 모드로 전환하기 위해서는 양쪽 이어폰을 충전 케이스에 넣고 버튼을 3 회 누르십시오 . 블루투스 모드에서는 이어폰을 휴대폰에 연결하여 음악 재생 및 통화 기능을 사용할 수 있습니다 . 페어링 이어폰 , 마이크 , 스마트 오디오 믹서를 모두 충전 케이스에 넣은 상태에서 해당 버튼을 6 회 눌러 이어폰 , 마이크 , 믹서를 다시 페어링하십시오 .
④케이블 보관함	/
⑤마이크 충전 표시등	● : 완전 충전
	● : 충전
	충전 안함 : 마이크가 올바르게 장착되지 않은 상태입니다
⑥USB-C 충전 포트	/
⑦배터리 잔량 표시등	○ : LED 표시등 4 개 . 모든 표시등이 점등되면 충전이 완료된 것입니다 .
	켜짐 : 현재 배터리 잔량을 표시합니다
	깜빡임 : 충전

앱 정보

HollyAudio

HollyAudio 앱은 Google Play 스토어 , Apple 앱 스토어에서 다운로드할 수 있습니다 . 아래의 QR 코드를 스캔하여 앱을 다운로드할 수도 있습니다 .



HollyAudio 앱은 Hollyland 무선 마이크와 완벽하게 호환됩니다 . 앱을 통해 매개변수 설정 , 펌웨어 업데이트 등 다양한 스마트 기능을 사용할 수 있으며 이러한 기능들은 유기적으로 작동하여 마이크 성능을 향상시킵니다 .



iOS 12.0 이상 필요



Android 8.0 이상 필요



앱

제품을 사용하시는 동안에 문제가 발생하거나 도움이 필요하신 경우 다음 방법을 통해 Hollyland 지원팀에 문의해 주시기를 바랍니다 :



Hollyland User Group



HollylandTech



HollylandTech



HollylandTech



support@hollyland.com



www.hollyland.com

고지 :

모든 저작권은 Shenzhen Hollyland Technology Co., Ltd. 가 보유합니다 . Shenzhen Hollyland Technology Co., Ltd. 의 서면 승인 없이 어떤 조직이나 개인도 설명 또는 이미지 콘텐츠의 일부 또는 전부를 복사하거나 복제할 수 없으며 , 어떠한 형태로도 배포할 수 없습니다 .

상표 고지 :

모든 상표는 Shenzhen Hollyland Technology Co., Ltd. 의 소유입니다 .

참고 사항 : 제품 버전 업그레이드 또는 기타 사유로 인해 이 빠른 설명서가 수시로 업데이트될 수 있습니다 . 별도 합의가 없는 한 이 문서는 참고용 가이드로만 제공됩니다 . 이 문서의 모든 진술 , 정보 및 권장 사항은 어떠한 종류의 명시적 또는 묵시적 보증도 구성하지 않습니다 .

HOLLYVIEW

Powered by Hollyland

